City of Frankfort

Sewer Department
1200 Kentucky Avenue
Frankfort, Kentucky 40601
Phone: (502)875-2448 Fax: (502)223-7857

## Application for Sewer Bill Adjustment

Please fill out the information below.

Date:	Account No.:
Name on Account:	
Home Phone:	Cell/Work Phone:
Address:	2
Billing Address if different fo	m above:
INCOMPLETE APPLICATION WILL DELAY SEWER DEPARTMENT RESPONSE  A written detailed explanation of the circumstances pertaining to the water loss must be attached to the application with an explanation of why this should be considered for a hardship adjustment. Please be as	
pplication with an explan	tion of why this should be considered for a hardship adjustment. Please be as
application with an explan specific as possible. Indic of plumber, name of handy PURCHASED TO APPLICA	tion of why this should be considered for a hardship adjustment. Please be as the type of repair made, date of repair, who did repair (homeowner, landlord, name man). ATTACH COPY OF RECEIPT ON REPAIRS MADE AND/OR PARTS
application with an explan specific as possible. Indic of plumber, name of handy PURCHASED TO APPLICA Where did water go?  As per City Ordinance 52.0 by the Director of the Sewer	ition of why this should be considered for a hardship adjustment. Please be as the type of repair made, date of repair, who did repair (homeowner, landlord, name man). ATTACH COPY OF RECEIPT ON REPAIRS MADE AND/OR PARTS
application with an explan specific as possible. Indic of plumber, name of hands PURCHASED TO APPLICATION OF SINGLE OF CITY ORGANIZATION OF THE SEWARD Water Plant Board's dispersion of the Seward Water Plant Board Water	ition of why this should be considered for a hardship adjustment. Please be as ate type of repair made, date of repair, who did repair (homeowner, landlord, name man). ATTACH COPY OF RECEIPT ON REPAIRS MADE AND/OR PARTS MON.  Ground  Ground  A.A.7, refunds may be made for sewer charges in hardship cases, as determined a Department. A customers bill may be credited based upon the Frankfort Electric termination of water usage.  Please do not write in this area, office use ONL?

Revised: 01/21/06